# 手釣り

**Raiglon hand fishing line superior in the flexibility and in the durability**

## GOLD TOA

**The choice of a fishing line for hand fishing line.**

Full of flexibility and operability is good and does not take twist. A hand fishing line that is superior in the durability and strong in friction by surface processing.

### Coil Black 100m

Material: Polyester x Nylon

| Size | 8 | 10 | 12 | 15 | 18 | 20 | 24 | 27 | 30 |
|---|---|---|---|---|---|---|---|---|---|
| Strength(kg) | 10 | 11 | 14 | 16 | 19 | 22 | 27 | 32 | 36 |
| Diameter (mm) | 0.470 | 0.520 | 0.570 | 0.640 | 0.700 | 0.740 | 0.810 | 0.860 | 0.910 |

| Size | 35 | 40 | 50 | 60 | 70 | 80 | 100 | 120 |
|---|---|---|---|---|---|---|---|---|
| Strength(kg) | 39 | 42 | 56 | 65 | 79 | 98 | 120 | 140 |
| Diameter (mm) | 0.980 | 1.050 | 1.170 | 1.280 | 1.390 | 1.480 | 1.660 | 1.810 |

### Wooden Frame Coil Black 100m

Material: Polyester x Nylon

| Size | 8 | 10 | 12 | 15 | 18 | 20 | 24 | 27 | 30 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.470 | 0.520 | 0.570 | 0.640 | 0.700 | 0.740 | 0.810 | 0.860 | 0.910 |

| Size | 35 | 40 | 50 |
|---|---|---|---|
| Diameter (mm) | 0.980 | 1.050 | 1.170 |

### Wooden Frame Coil 4 colors 100m (25m x 4 colors)

Material: Polyester x Nylon

| Size | 8 | 10 | 12 | 15 | 18 | 20 | 24 | 27 |
|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.470 | 0.520 | 0.570 | 0.640 | 0.700 | 0.740 | 0.810 | 0.860 |

### Wooden Frame Coil 5 colors 100m (20m x 5 colors)

Material: Polyester x Nylon

| Size | 8 | 10 | 12 | 15 | 18 | 20 | 25 | 27 |
|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.470 | 0.520 | 0.570 | 0.640 | 0.700 | 0.740 | 0.830 | 0.860 |

### Wooden Frame Coil 5 colors 100m (10m x 5 colors x2) (1m/5m/10m marking)

Material: Polyester x Nylon

| Size | 10 | 12 | 14 | 16 | 18 | 20 | 25 | 28 | 30 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.470 | 0.830 | 0.870 | 0.910 |

### Braided Polyester Coil Blue 100m

Material: Polyester

| Size | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.285 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 |

| Size | 16 | 18 | 20 | 25 | 30 |
|---|---|---|---|---|---|
| Diameter (mm) | 0.660 | 0.700 | 0.740 | 0.830 | 0.910 |

### Braided Polyester Coil Brown 100m

Material: Polyester

| Size | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.285 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 |

| Size | 16 | 18 | 20 | 25 | 30 |
|---|---|---|---|---|---|
| Diameter (mm) | 0.660 | 0.700 | 0.740 | 0.830 | 0.910 |

### Braided Polyester Coil 5 colors 100m (10m x 5 colors x 2)

Material: Polyester

| Size | 8 | 10 | 12 | 14 | 16 | 18 |
|---|---|---|---|---|---|---|
| Diameter (mm) | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 |


**TOA-STRINGS CO., LTD.**

TOA-STRINGS CO., LTD. KOBE JAPAN
1-24 YAGUMODORI 3-CHOME, CHUO-KU KOBE 651-0078 JAPAN
TEL: +81-78-232-1995 FAX: +81-78-232-1931
Visit our web site at http://www.toalson.co.jp


**CAUTION!**

When you cut a fishing line, please use scissors because it will be possible to wound if you cut the fishing line by your hand or your teeth.

Please dispose the used fishing line bringing back it to your home without throwing it away to the fishing ground.

Made in Japan
FISHINGLINE

RAIGLON®

http://www.toalson.co.jp TOA-STRINGS CO., LTD.

# Challenge!

## RAIGLON® FISHING LINE

**Raiglon begins a challenge to the next era at high quality, a high performance fishing line.**
**The limitless performance & possibility that the technical concentration produces.**

Raiglon Lines led a supreme proposition to the real thing by advanced technology.
In fishing scene to change every moment, the line where we hid the best potential of Railgon enables the select more and continues making the new legend in a new century.

# ハリス

**The strongest Leader Line in the next generation when original processing technique produces it.**

**Ultimate abrasion resistance and tenacity – 100% Fluorocarbon**

Fluorocarbon Leader Line

## APACHE

Apache is made of 100% Fluorocarbon which offers ultimate abrasion resistance and no water absorption for long life while retaining its natural refractive qualities, making it virtually invisible under water.
1.78 specific gravity which is relatively higher than that of Nylon (1.14)/Polyester (1.38) provides greater sinking performance.
Thinner compact spool is easy to store.

■Size0.6-3 50m Size4 40m Size5 30m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 1.66/3.66 | 1.93/4.25 | 2.53/5.58 | 2.89/6.37 | 3.48/7.67 | 3.97/8.75 | 4.44/9.79 | 5.05/11.13 | 6.35/14 | 7.88/17.37 | 9.66/21.3 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

**Strongest invisible camouflage color Harisu**

Fluorocarbon Leader Line

Parallel Spool

## PROSEED

Proseed is made of selected high quality Fluorocarbon and it has been increased tenacity up to 20%, flexibility, suppleness and strength in virtually invisible camouflage color, which offers outstanding performance in competition game.

STEALTH BROWN

■50m

| Size | 0.8 | 1 | 1.2 | 1.5 | 1.7 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

Fluorocarbon Leader Line

Parallel Spool




**Extreme strong soft leader line.**
**The durability/abrasion resistance preeminence.**

## MEGACEED TOUGH ONE

We make soft plasma processing on fluorocarbon 100% and evolve conventional exceed fluorocarbon more and increase the pulling strength and knot strength. Parallel spool finish.

■50m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

Fluorocarbon Leader Line

**Strongest New Fluorocarbon Leader Line**

## MEGACEED FUNE HARISU

By making soft plasma processing on carefully selected fluorocarbon produced by highly precise yarn technology, improving control and enabling a trouble sharp decrease. Super Strength Leader Line that excels others in all.

■100m(CLEAR):Size 2-14 ■100m(SEAWEED BROWN):Size 2-20

| Size | 2 | 2.5 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.740 |

Fluorocarbon Leader Line

Parallel Spool

**The product which is flexible, low price and high quality.**

## EXCEED FLUOROCARBON 002

This item is designed for more flexible by softening fluorocarbon with a firm image and it is a leader line made by parallel spool and realize low price and high quality.

■50m:Size 0.6-6 ■100m:Size 0.6-12

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 | 0.570 |

Nylon Leader Line

Parallel Spool

**Supremacy Strongest New Nylon Leader Line**

## EXCEED NYLON 001

New thin & strong Nylon Leader Line that realized a supreme proposition to be strong at a high level for high sensitivity, root gap, the low expansion and contraction by making new development T.E.N processing on special nylon.

■50m

| Size | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.090 | 0.104 | 0.117 | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |

Fluorocarbon Leader Line

**Super strength Leader Line that excels others in all.**

## EXCEED SAMURAI FOR PROFESSIONAL TOURNAMENT USE

By making new developed T.E.C. processing on abrasion resistance, high strength fluorocarbon, it creates the strong thin, low expansion and contraction, high friction resistance, root gap and curl prevention at a high level. It is improved pulling tension strength largely by using highly precise yarn technology and carefully selected fluorocarbon material. Super strength Leader line that excels others in all.
Specific Gravity 1.79, Refractive index 1.42, No water absorption. Soft tension spool.

■10m:Size 0.6-12 ■100m:Size 0.6-3

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 | 0.570 |

Fluorocarbon Leader Line

Nylon Leader Line

**High quality Shock Leader specially developed for easy tie up with line**

## ACROBAT SHOCK LEADER

Acrobat Shock Leader is specially developed and made of high tenacity abrasion resistant material added IWS process and Soft process (Patent No. 3142956). It is specially developed for easy tie up with line. Individual design for each size.

■Nylon Size3-7 30m Size8-20 20m

| Size | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 6/12 | 7/14 | 8/16 | 10/20 | 12.5/25 | 15/30 | 17.5/35 | 20/40 | 25/50 | 30/60 | 35/70 | 40/80 | 45/90 |
| Diameter(mm) | 0.285 | 0.330 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.740 |

■Fluorovarbon Size1.5-7 30m Size8-20 20m

| Size | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 3/6 | 3.5/7 | 4/8 | 5/10 | 6/12 | 8/16 | 10/20 | 12.5/25 | 14/28 | 15/30 | 17.5/35 | 20/40 | 25/50 | 27.5/55 | 30/60 | 35/70 |
| Diameter(mm) | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.740 |

All round high quality line exclusively designed for Hera fishing

## RAIGLON HERA KYOKUTENSUI MICHIITO

Raiglon Hera Kyokutensui is made of high tenacity nylon and added newly developed hydrophilic special resin for greater sinking performance. Raiglon Hera Kyokutensui is specially designed for Hera fishing needed appropriate stiffness and suppleness fit in any size of rod. Selected visible color in reflection and wound in a bobbin softly for a maintenance of its high quality longer. Individual design for each size.

Nylon

ROYAL VIOLET

All round high quality Harisu exclusively designed for Hera fishing

## RAIGLON HERA KYOKUTENSUI HARISU

Raiglon Hera Kyokutensui is made of high tenacity Harisu nylon and added newly developed hydrophilic special resin for greater abrasion resistance and memory of straightness without tangle up. Virtually invisible smoke natural color improves Hera fishing and its suppleness is easy to tie up with line. Individual design for each size.

Nylon Leader Line

SMOKE NATURAL

# へら

**High quality line exclusively designed for Hera fishing.**

■MICHIITO 50m

| Size | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 1 | 1.25 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.104 | 0.117 | 0.128 | 0.138 | 0.148 | 0.165 | 0.187 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 |

■HARISU 50m

| Size | 0.2 | 0.3 | 0.35 | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 1 | 1.25 | 1.5 | 1.75 | 2 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.074 | 0.090 | 0.097 | 0.104 | 0.117 | 0.128 | 0.138 | 0.148 | 0.165 | 0.187 | 0.205 | 0.220 | 0.235 |

# 道糸

**Even in any kind of scene, it is a fishing line of RAIGLON.**

Power leads new stage

## POWER STAGE

Power Stage is made of Super Strong Nylon monofilament with original patented Soft process (Patent No. 3142956).
Power Stage combines 4 greater performances such as "high tenacity", less coil memory", "less curl", "less tackiness" in very high level.

Nylon

Parallel Spool

FLUORESCENT FLASH YELLOW

■150m

| Size | 1.75 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.4/9.7 | 4.7/10.4 | 5.9/13 | 6.8/15 | 9/19.8 | 11.7/25.8 |
| Diameter(mm) | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

■200m

| Size | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 6.8/15 | 9/19.8 | 11.7/25.8 | 13/28.7 | 14.7/32.4 | 16.3/35.9 | 21.2/46.7 | 25.5/56.2 |
| Diameter(mm) | 0.285 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 |

Surge ahead of rivals with Super strength line

## SUPER RAIGLON SOFT

Super Raiglon Soft is exclusively designed for salt water fishing, specially for rock fish game, floating fishing and casting.
Super Raiglon Soft is treated with patented water repellent process which prevents coil memory, backlash and crumple.

■ 150m

| Size | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

SEMI FLOAT TYPE

Nylon

Parallel Spool

FLUORESCENT PHANTOM ORANGE

SUSPEND TYPE

Nylon

Parallel Spool

FLUORESCENT CRYSTAL

Nylon

Parallel Spool

GREEN

**Fishing line to catch fish by highly precise yarn technology.**

## SUPER RAIGLON SOFT POWER DREAM ISO

Results of fishing line production over 50 years and by joint developed together with Asahi Kasei, we improve the most important point strength of line as tournament competition, abrasion resistance, water-repellency and the sliding performance largely.

■150m

| Size | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 2.75 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.274 | 0.285 | 0.330 | 0.370 | 0.405 |

Nylon

Parallel Spool

GREEN

PINK




**Surf conquest! Three colors of markers of the visibility preeminence and get a delicate hit.**

## PROTEUS MARKER ISO HONRYU

By super water-repellent, water-proofing, strong resin processing and soft processing (Patent No. 3142956), less coil memory and fly and line control is very smooth. The visibility is distinguished in our three colors of original markers which grasp and the revision of the line orbit are easy.

■150m:Size 1.8-6 ■200m:Size 3-6 (Only pink color is available)

| Size | 1.8 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |

Nylon

Parallel Spool

GREEN

YELLOW

**A Super Strength fishing line of the trust**

## RAIGLON STAMINA

A super strength fishing line with strength at the same level as Leader line. High Quality, Low Price.

■150m

| Size | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Diameter(mm) | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

An Abrasion Resistance Nylon

Parallel Spool

BLUE

**High Abrasion Resistance Performance**

## SYBER ISO

By comparison with normal fishing line, about 20 times (our company data) improved an abrasion resistant performance.

■150m

| Size | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |

Nylon

Parallel Spool

PREMIUM GOLD

**The strong line which has the best potential of RAIGLON. Suitable for all types of fishing.**

## POWER RAIGLON GTX-JIO

Super high quality leader fishing line which had four good points such as "less sticky", "less coil memory", "softness", "strong" by adopting super water-repellent waterproofing strong resin process and soft process. For a moderate elongation design, provide less shock breakage and precise hooking. There is confidence with wear resistance and high strength.

| Size | 1.5 | 1.75 | 2 | 2.5 | 2.75 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.205 | 0.220 | 0.235 | 0.260 | 0.274 | 0.285 | 0.330 | 0.370 | 0.405 |



Nylon

Parallel Spool

RAIGLON SOFT LEO POWER DRAGON

YELLOW

GREEN

WHITE

RAIGLON SOFT LEO MOZART

ORANGE

**Super Water-Repellent and Soft Processing.**
**The Strong Fishing Line which has less twist.**

## RAIGLON SOFT LEO POWER DRAGON

## RAIGLON SOFT LEO MOZART

By putting strong super water-repellent water proofing resin processing and our original soft processing (Patent No. 3142956), these lines become super high quality fishing lines which have four good points such as "less tackiness", "less coil memory", "soft" and "strong". Good line operation, natural operation of bait and precise hooking with a little running out of shock due to proper elongation adjustment. There is confidence with abrasion-resistance and strength.

■150m

| Size | 1.8 | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

Nylon

Parallel Spool

Size 2.0-6.0

Normal Spool

Size 8.0-10.0

WHITE YELLOW WHITE PINK WHITE

**Three colors of marker high visibility lines. Good float performance.**

## LEOINA 66 MEGA FLOAT

Super water-repellent waterproofing resin processing. The float line which pursued the ease of usability (Patent No. 3142956) of "Softness", "handling of line operation is smooth by water repellent processing", "high visibility performance by the marker", "not float too much", "not sinking" by making an air chamber not sake in the float inclination to improve float performance. Due to hollow line, the tensile strength becomes 10-13% lower than that of strong line.

■150m:Size 2-6 ■200m:Size 3-10

| Size | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |

Nylon

YELLOW

GREEN

**Strong for curl and twist and pulling strength is good.**
**Line for exclusive use of a long cast & the basket fishing.**

## ARES ENTOU ISO

By using the original special resin processing, drumstick water processing and soft processing (Patent No. 3142956) to high strength line, it creates "less twist", "less curl", "less coil memory" and strong for a root gap. A line for exclusive use of the big game aim that is superior particularly in pulling strength.

■ 200m

| Size | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 |

**Super Strength Fishing Line which adds a difference to rival.**

Nylon

## SUPER LAIGLON SOFT

In a beach, by a ship, on the raft etc.……
The super high quality fishing line of the soft type that is good to a fishing line in search of a thrill and romance.

〈our original fluoric resin processing〉

- Preventing backlash, coil memory, twist and curl.
- Water-repellent effect preeminence
- Strong for a root gap
- It is easy to do casting and to fit to reel.

■100m:Size 1.5-4 ■150m:Size 1.5-6 ■200m:Size 3-12

| Size | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 |

NATURAL

MIST GREEN

PASTEL GREEN

■ 50m connected

| Size | 0.6 | 0.8 | 1 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |
| Size | 7 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | |
| Diameter(mm) | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.740 | 0.780 | 0.810 | |

NATURAL

MIST GREEN

# 投釣り

**The excellent partner of cast fishing !**

Nylon

25m×4colors　Size1～6(200m individual package)

BLUE　YELLOW　RED　NATURAL

## SUPER RAIGLON CAST

By special resin processing, sliding effect, a water repellent effect is distinguished. The line for exclusive use of casting fishing to answer an insatiate demand of casters.

■200m individual package

| Size | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

Nylon

BLUE　YELLOW　GREEN　RED　NATURAL

## PRO TAPER

A line for exclusive use of the ideal casting fishing that became the unity of lead line and power line. It is improved abrasion resistance, the durability largely by our original special resin processing.

■170m:Size (3-12)-(5-12)　■220m:Size (1.5-8)-(5-12)

| Size | 1.5-8 | 2-8 | 3-8 | 1.5-12 | 2-12 |
|---|---|---|---|---|---|
| Diameter (mm) | 0.205-0.470 | 0.235-0.470 | 0.285-0.470 | 0.205-0.570 | 0.235-0.570 |
| Size | 3-12 | 4-12 | 5-12 | | |
| Diameter (mm) | 0.285-0.570 | 0.330-0.570 | 0.370-0.570 | | |

Nylon

YELLOW　BROWN　NATURAL

## PRO TAPER CHIKARAITO

Improve a flying distance more by a combination with Super Raiglon Cast.
Power line for exclusive use of good balance casting fishing improve shock absorbency and abrasion resistance.

■YELLOW/BROWN:Size (1.5-8)-(5-12)
■NATURAL:Size (1.5-12)-(5-12)

| Size | 1.5-8 | 2-8 | 3-8 | 1.5-12 |
|---|---|---|---|---|
| Diameter(mm) | 0.205-0.470 | 0.235-0.470 | 0.285-0.470 | 0.205-0.570 |
| Size | 2-12 | 3-12 | 4-12 | 5-12 |
| Diameter(mm) | 0.235-0.570 | 0.285-0.570 | 0.330-0.570 | 0.370-0.570 |

P E

**The delicate hit transmits it instantly.**

## SUPER RAIGLON CAST NAVI EDITION STAMINA P.E.

It is improved sliding performance high tech Dyneema with high density. For a low elongation PE line, the situation of the bottom of the sea and delicate hit transmit it at sensitivity preeminence instantly. In high strength of 2.5-3 times of nylon, support a sudden big game.

■200m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 3 |
|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4/8 | 4.9/10 | 5.9/12 | 7/14 | 7.9/16 | 12/25 | 17/35 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.285 |

25m　25m　25m　25m　25m×4colors

BLUE　YELLOW　RED　NATURAL

Nylon



YELLOW　NATURAL　RED

1pc spool is only available for natural color.

## TOA TAPER

■15m　1pc spool / 5pcs spool / 10pcs spool

| Size | 1.5-12 | 2-12 | 3-12 | 4-12 | 5-12 |
|---|---|---|---|---|---|
| Diameter (mm) | 0.205-0.570 | 0.235-0.570 | 0.285-0.570 | 0.330-0.570 | 0.370-0.570 |

Nylon

NATURAL　YELLOW

## SURF STRING EX

■5000m

| Size | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|
| Diameter(mm) | 0.235 | 0.285 | 0.330 | 0.370 | 0.405 |

Bigger sizes than 6 require less than 5000m treate1d as special order

# 波止

**Less twist, High visibility, Strong, Few guide-involved, Less coil memory**

**Strong leader line**

## PROTEUS PANDORAS BOX HATO OKI ICHIMONJI

Improve "Less coil memory", "High visibility", "Strong", "Few guide-involved" etc., demanded from pier fishing. The durability, the abrasion resistance are improved by making soft water repellent resin processing (Patent No. 3142956) on Leader line type raw material. Suitable for floating fishing and fishing for tetrapod circumference etc.

■100m　■150m

| Size | 2 | 2.5 | 2.75 | 3 | 3.5 | 4 | 5 |
|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.235 | 0.260 | 0.274 | 0.285 | 0.310 | 0.330 | 0.370 |

Nylon

Parallel Spool

FIRE ORANGE

# アジ/メバル

**Exclusive line for mackerel and rockfish.**

## Best line for Light Game

### Light Game AJI/MEBARU

Light Game Ajing line is specially focused and engineered for light game such as for Mackerel & Rockfish and long cast to provide anglers with sliding performance, straightness, less line slack by patented water repellent process treated, which also offers high quality long life with maintenance free.

■Nylon　150m

| Size | 0.2 | 0.25 | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 1 |
|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 0.55/1.1 | 0.65/1.3 | 0.8/1.6 | 1/2 | 1.35/2.7 | 1.6/3.2 | 2.25/4.5 | 2.7/5.4 |
| Diameter(mm) | 0.074 | 0.083 | 0.090 | 0.104 | 0.117 | 0.128 | 0.148 | 0.165 |

■Fluorocarbon　150m

| Size | 0.2 | 0.25 | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 1 |
|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 0.5/1 | 0.6/1.2 | 0.75/1.5 | 0.85/1.7 | 1/2 | 1.3/2.6 | 1.5/3 | 2/4 |
| Diameter(mm) | 0.074 | 0.083 | 0.090 | 0.104 | 0.117 | 0.128 | 0.148 | 0.165 |

Nylon

NATURAL

Fluorocarbon

NATURAL

### LEOINA 66 / ROCKFISH / SHADE

Less coil memory! Super Water-Repellent Processing!
Even a light weight lure do not miss a hit.
Strength, suppleness, durability up!
Add a difference to a rival by rockfish game.

■ NYLON 100m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|
| LBS | 2 | 3 | 4 | 5 | 5.5 | 6 | 7 | 8 | 10 | 12 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 |

■ Fluorocarbon 100m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|
| LBS | 2 | 3 | 4 | 5 | 5.5 | 6 | 7 | 8 | 10 | 12 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 |

Nylon

Parallel Spool

FLUORESCENT NATURAL

Fluorocarbon

Parallel Spool

NATURAL



## Improved strength, suppleness & durability

### Sparta Line ROCKFISH X

By adding patented soft & water repellent finish to high tenacity & low elongation sensitive material, Sparta Line ROCKFISH X offers secure hooking and catching performance without coil memory and crumple. Individual design for each size.

■ 100m

| Size | 0.5 | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 |
|---|---|---|---|---|---|---|---|---|---|
| LBS | 2 | 2.5 | 3 | 4 | 5 | 5.5 | 6 | 7 | 8 |
| Diameter (mm) | 0.117 | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 |

Nylon

FLUORESCENT YELLOW

Fluorocarbon



FLUORESCENT PINK

# チヌ

## Chinu(Black Porgy)fishing master strongest version

Fluorocarbon

Parallel Spool

NATURAL

With the marking of 50m

**A choice of raft fishing**

### CHINU (BLACK PORGY) PIRANIA RAFT LINE

We make soft plasma processing, water-repellent processing on fluorocarbon 100%, and be superior to operability by preventing tackiness and hooking is possible surely without missing the delicate hit. Improve the strength, suppleness, durability largely.

■100m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

Nylon

Parallel Spool




**Improving the durability,suppleness and strength largely.**

### CHINU (BLACK PORGY) PIRANIA

By giving soft processing and water-repellent processing (Patent No. 3142956) to high strength, high sensitivity, low elongation line, it is superior to operability and have "less twist", "less curl" and "less coil memory". There is confidence with abrasion resistance and strength.

■BROWN(100m/150m):Size 0.6-5
■PINK(100m/150m):Size 1.5-3
■4colors(100m/150m):Size 1.75-3

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.192 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

# ルアー

**To enjoy game fishing 100%**

Parallel Spool

Nylon

NATURAL

Fluorocarbon

FLUORESCENT CRYSTAL

With the marking of 75m

**Showing a characteristic of the highest grade quality to the maximum.**

## RAIGLON POWER NY Nylon

It is realization with the operability that it was able to be superior to bait fishing and spinning fishing from worm to hard lure as a first priority of "Strength" and "Sensitivity". A line color to secure moderate visibility.

## RAIGLON POWER FC Fluorocarbon

"High sensitivity" and "the straightness" which small bait conveys. Because there is not water absorptivity, the use of long time with a little strength deterioration is possible. Excellent permeability does not give a fish wariness. The abrasion performance is particularly superior to nylon.

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 |
| LBS | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 20 | 25 |

Nylon

FLUORESCENT CRYSTAL

Fluorocarbon

NATURAL

**Monster appears**

## MONSTER BASS (NYLON)

High tenacity & low elongation of Monster Bass Nylon with patented water repellent process offers greater manipulation performance and abrasion resistance while preventing curl, crumple and coil memory.

## MONSTER BASS (FLUOROCARBON)

High tenacity & low elongation of Monster Bass Fluorocarbon with patented soft process offers high sensitivity and greater abrasion resistance while preventing curl, crumple and coil memory.

| Size | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 |
|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 1.5/3 | 2/4 | 2.5/5 | 3/6 | 3.5/7 | 4/8 | 5/10 | 6/12 | 7/14 | 8/16 |
| Diameter(mm) | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 |



Nylon Leader Line




NATURAL

Fluorocarbon Leader Line




NATURAL

**The highest grade shock leader which a line system is easy to make.**

## SHOCK LEADER POWER ACCEL

The shock leader line which it was easy to make a line system and balanced toughness and softness by making a original IWS soft sliding processing (Patent No. 3142956) to high strength abrasion resistance line.

■NYLON 50m:Size 3-60 ■FLUOROCARBON 50m:Size 3, 4-20

| Size | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 |
|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 6/12 | 7/14 | 8/16 | 10/20 | 11/22 | 12.5/25 | 15/30 | 17.5/35 | 20/40 | 25/50 |
| Diameter (mm) | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 |
| Size | 16 | 18 | 20 | 22 | 24 | 30 | 35 | 40 | 50 | 60 |
| Strength Kg/LBS | 27.5/55 | 30/60 | 35/70 | 40/80 | 45/90 | 50/100 | 65/130 | 70/140 | 85/170 | 100/200 |
| Diameter (mm) | 0.660 | 0.700 | 0.740 | 0.780 | 0.810 | 0.910 | 0.980 | 1.050 | 1.170 | 1.280 |

Nylon

Parallel Spool

150m size 1.5-6 are parallel spool only.

BLUE

**In hard game fishing**

## SALT WATER

The salt water game fishing which is severe & hard. By our original seawater-resistant special resin processing, the salt water game fishing line which investigated easiness of handling and durability is born.

■150m ※ I.G.F.A. CLASS

| LBS | ※6 | ※8 | 10 | ※12 | 14 | ※16 | ※20 | 25 | ※30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 |
| Size | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 |

Parallel Spool

**Improve the durability, suppleness and strength largely**

## TROUT SPECIAL (NYLON/FLUOROCARBON)

By making a soft processing and water-repellent processing (Patent No. 3142956) to high sensitivity/low elongation line at high strength, operability is good and "less curl", "less coil memory" and natural performance rather than light weight lure, improve hooking and catching performance surely without missing it for hits a little.

Nylon

3colors (Nylon)

NATURAL BLUE NATURAL YELLOW NATURAL

Fluorocarbon

NATURAL

■100m

| Size | 0.4 | 0.5 | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.104 | 0.116 | 0.127 | 0.148 | 0.165 | 0.185 | 0.195 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 |
| LBS | 1 | 1.5 | 2 | 3 | 4 | 5 | 5.5 | 6 | 7 | 8 | 10 | 12 |




STATUS GRAY

Nylon

Parallel Spool

**The limitless performance and possibility that the technical concentration produces. Suitable for all levels of fishing.**

## Dyrect

A fishing line of the higher-grade quality.
By our original soft process (a patent), this fishing line becomes the best fishing line to have less coil memory and softer than conventional article, besides it is more stronger. Bring a user satisfaction by all means.

| Size | 0.5 | 0.6 | 0.8 | 1 | 1.2 | 1.35 | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.116 | 0.127 | 0.148 | 0.165 | 0.185 | 0.195 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 |
| LBS class | 2 | 2.5 | 3 | 4 | 5 | 5.5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 20 |
| Actual Strength kg(MAX) | 1.3 | 1.6 | 2.3 | 2.7 | 3.3 | 3.6 | 4.0 | 4.4 | 5.1 | 6.0 | 7.3 | 8.4 | 9.3 | 12.1 |
| Actual Strength LBS(MAX) | 2.9 | 3.5 | 5.1 | 5.9 | 7.3 | 7.9 | 8.8 | 9.7 | 11.2 | 13.2 | 16.1 | 18.5 | 20.5 | 26.6 |

# ボビン巻き

**A technical crystal, a highest grade nylon monofilament bobbin.**

PASTEL GREEN

**Premium line in a bobbin is born**

## WORLD PREMIUM

Raiglon World Premium is developed by putting our technologies and technics accumulated during our long history in this quality as premium line.
By adding the special high abrasion resistant coating and I.W.S. soft process to it, Raiglon World Premium provides and keeps greater abrasion resistance and straightness for long period of time.
In order to keep high quality longer, Raiglon World Premium is wound with very low tension with bobbin in production process.

■ 600m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength LBS | 3.5 | 5 | 6 | 7 | 9 | 10 | 11 | 13 | 16 | 18 | 20 | 25 | 30 | 33 | 38 | 50 | 56 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 |

ORANGE

YELLOW

**The high strength fishing line which adds a difference to a rival.**

## NEPUTNE PREMIUM

At beach, ship, raft, wave stopper etc., this item is suitable for anglers looking for operability and power for all fishing. A highest grade fishing line of rank ☆☆☆☆.
(Attention) The raw material processed Leader type.

■500m

| Size | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 |
|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 |

YELLOW

**Hard to be affected by wind & wave.**

## LAIGLON INTERNATIONAL FLOAT TYPE

Structure to have an air chamber in the line inside that is hard to be affected by "wind/the wave" without sink and without loosening too much without sake in the float inclination.




■600m

| Size | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |

**By WS resin processing and prevention of absorbing water process,**
- preventing backlash, coil memory, curl and crumple
- water-repellent effect preeminence
- Strong in a root gap
- Easy for casting

**At beach, ship, raft etc., for all fishing.**

## LAIGLON INTERNATIONAL

NATURAL GRAY FLUORESCENT LIGHT BLUE FLUORESCENT YELLOW FIST GREEN LEMON YELLOW

■300m:Size 24 ■320m:Size 22 ■400m:Size 20 ■440m:Size 18
■480m:Size 16 ■500m:Size 14 ■600m:Size 1-12

| Size | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LBS | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 20 | 25 | 30 | 35 | 40 | 45 | 48 | 50 | 55 | 60 | 65 | 75 |
| Diameter (mm) | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 | 0.435 | 0.470 | 0.520 | 0.570 | 0.620 | 0.660 | 0.700 | 0.740 | 0.780 | 0.810 |

BLUE

**Fit every sheen. Show power by Lure fishing.**

## LAIGLON INTERNATIONAL SUSPEND TYPE

Suspend line which gave special resin process by the compound new material.
Adapt every genre to all fishing at sea and lure fishing.

■600m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LBS | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 20 | 25 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 | 0.405 |

NATURAL GRAY YELLOW BLUE

**Pursuing usability and power thoroughly.**
**The best fishing line where we used the raw material of feelings for.**

## NEPUTNE AMAKAZE

In order to use good-quality raw material, this item is strong in strength and friction and it is the bobbin scroll which lost line spot. Tensile strength and knot strength preeminence. It is the product which it made supple processing & water-repellent processing & sliding processing on.

■380m:Size 12 ■450m:Size 10 ■500m:Size 1.5-8

| Size | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|
| Diameter (mm) | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.485 | 0.470 | 0.520 | 0.570 |

## BIO SOFT

GRAY

| Size | m | Kg | Diameter (mm) |
|---|---|---|---|
| 3 | 3,300 | 6.5 | 0.285 |
| 4 | 2,500 | 8.2 | 0.330 |
| 5 | 2,000 | 10 | 0.370 |
| 6 | 1,600 | 12 | 0.405 |
| 7 | 1,400 | 14 | 0.435 |
| 8 | 1,200 | 16 | 0.470 |
| 10 | 1,000 | 19 | 0.520 |
| 12 | 800 | 22 | 0.570 |
| 14 | 700 | 25 | 0.620 |
| 16 | 600 | 28 | 0.660 |
| 18 | 550 | 31 | 0.700 |
| 20 | 500 | 34 | 0.740 |
| 22 | 450 | 37 | 0.780 |
| 24 | 400 | 39 | 0.810 |
| 26 | 380 | 41 | 0.840 |
| 28 | 350 | 43 | 0.870 |
| 30 | 300 | 46 | 0.910 |

# イカ釣り

**Cuttlefish Fishing**
**A lineup for exclusive use of the full cuttlefish corresponding to every situation.**

**Straight to the hit point**

## VISTA EXECUTIVE STAMINA P.E. KAITOU RUPAN V8

With super high strong PE (HIGH-POWER) careful selection Dyneema as "8 dense weaves", largely improve operability, sensitivity, high strength, sliding by putting surface sliding processing more. Various actions and bottom perception to flock from a rod to lure(Egi) directly and proper hooking is carried out. Dyeing classification every 10m and high visibility white, a marking of 1m/5m give a response belonging to with two kinds.

■100m 5colors ■120m White ■150m 5colors

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS (MAX) | 4.5/9.9 | 5.5/12.1 | 7/15.4 | 8/17.6 | 9/19.8 | 13/28.6 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |

PE

WHITE (float) 5colors (float)

| 10m | 10m | 10m | 10m | 10m |
|---|---|---|---|---|
| PURPLE | RED | GREEN | ORANGE | BLUE |

10m×5colors 1m/5m marking

WHITE (float) 5colors (float)

| 10m | 10m | 10m | 10m | 10m |
|---|---|---|---|---|
| PURPLE | RED | GREEN | ORANGE | BLUE |

10m×5colors 1m/5m marking

PE

**Visibility preeminence! PE Line!**

## KAITOU RUPAN CAGE CUTTLEFISH PE

By high strength (2.5-3 times of the nylon), high sensitivity, low elongation PE(Dyneema) line, various actions and bottom perception to flock from a rod to lure (Egi) directly are executed and precise hooking without missing the hit of the cuttlefish. The visibility is also good.

■100m ■150m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.0/8 | 4.9/10 | 5.9/12 | 7.0/14 | 7.9/16 | 12.0/25 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |

Fluorocarbon Leader Line

**The Strongest New Fluorocarbon Leader Line 100%.**

## EXCEED EGI LEADER

Exceed superior in balance. Power up pulling strength. Knot strength as Eging Leader use with fluorocarbon 100% leader line.

■35m

| Size | 1.2 | 1.5 | 1.75 | 2 | 2.5 | 3 | 4 |
|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 2.5/5 | 3.0/6 | 3.5/7 | 4.0/8 | 5.0/10 | 6.0/12 | 8.0/16 |
| Diameter(mm) | 0.185 | 0.205 | 0.220 | 0.235 | 0.260 | 0.285 | 0.330 |

Nylon

Parallel Spool Parallel Spool

GREEN WHITE

Parallel Spool Not Parallel

NATURAL 3colors

| BLUE | GREEN | NATURAL | BLUE | GREEN | NATURAL |
|---|---|---|---|---|---|

3 colors are normal spool/150m only

Nylon

**The nylon line where is almost suitable for a type of fishing, YAEN fishing and Eging fishing.**

## KAITOU RUPAN CUTTLEFISH KING

By applying our original I.W.S. processing and soft processing (PATENT No. 3142956) to high sensitive, low elongation, high strength nylon line, it has "less curl" and "less coil memory" and keeps suppleness and high strength in high-dimension. The color which is hard to see for the cuttlefish and high visibility colors are available.

■100m ■150m

| Size | 1.5 | 2.0 | 2.5 | 3.0 | 3.5 | 4.0 | 5.0 |
|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 3.8/8.4 | 4.6/10.6 | 5.9/13.6 | 6.8/15.0 | 7.9/17.4 | 8.9/19.6 | 11.2/24.7 |
| Diameter(mm) | 0.205 | 0.235 | 0.260 | 0.285 | 0.310 | 0.330 | 0.370 |

# PE

**It is confidence in durability.**

PE

LIGHT GREEN

**Best PE for Light Game**

## RAIGLON PE Light Game

By changing the tension of PE material tight when braiding process in production, we have successfully added the greater sensitivity to the basic performances of PE line such as sliding performance, manipulation performance and straightness.
The patented water repellent process treated to it offers high quality long life with maintenance free.
Pay attention to the adjustment of drag due to ultrafine material.

■3Braided 75m, 150m(75mspoolx2)

| Size | 0.2 | 0.25 | 0.3 | 0.4 |
|---|---|---|---|---|
| Strength Kg/LBS | 1.7/3.5 | 2/4 | 2.2/4.5 | 3/6 |
| Diameter(mm) | 0.074 | 0.083 | 0.090 | 0.104 |

■4Braided 75m, 150m(75mspoolx2)

| Size | 0.25 | 0.3 | 0.4 |
|---|---|---|---|
| Strength Kg/LBS | 2.2/4.5 | 2.5/5 | 3.5/7 |
| Diameter(mm) | 0.083 | 0.090 | 0.104 |

4PCS BRAIDED

PE

5colors

8PCS BRAIDED

PE

5colors

**High grade PE for Lure & Boat fishing**

## RAIGLON H-PE KITERA

Raiglon H-PE KITERA is designed for anglers seeking all round PE lines suitable for SEA BASS, BIGFIN REEF SQUID, YELLOWTAIL, CUTLASS FISH, AMBERJACK, TUNA, RED SEA BREAM etc.
By applying super high strength H-PE (Dyneema, super high molecular weight polyethylene, made in Japan) 8-braided and 4-braided with adding surface treatment, Raiglon H-PE KITERA provides improved durability, manipulation performance & sliding performance.
Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

■4Braided 150mSize0.6-3, 200mSize0.6-4,300mSIze0.6-4

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 |
|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.5/9 | 5/10 | 6.5/13 | 7.5/15 | 8.5/17 | 12.5/25 | 16/32 | 19/38 | 25/50 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 |

■8Braided 150mSize0.6-3, 200mSize0.6-5,300mSIze0.6-5

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 |
|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 5/10 | 6/12 | 7.5/15 | 8.5/17 | 10/20 | 14/28 | 17.5/35 | 22.5/45 | 30/60 | 35/70 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 |

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

**Super high strong hi-tech material PE.**
**The pulling strength of the hi-tech new material PE is about 3 times higher than the nylon.**

## SUPER P.E. STAMINA DIRECT BAZOOKA

The Raiglon PE of the super strength hi-tech new material PE (super high molecular weight polyethylene) use has pulling high strength of about 2.5-3 times higher than the nylon and is easy to take an area in low elongation. There is no water absorption and there is little deterioration even if using it repeatedly and is most suitable as a fishing line.

■100m ■150m ■200m ■300m

| Size | 0.8 | 1 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.9/10 | 5.9/12 | 7.9/16 | 12/25 | 14.5/30 | 17/35 | 23/50 | 28/60 | 33/70 | 40/80 | 48/100 | 63/130 |
| Diameter (mm) | 0.148 | 0.165 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 | 0.570 |

※color:Black color is size 3-12(total 7items)
※Size 0.8-4 are 4pcs braided
Above Size 5 is 8pcs braided

PE

PE

**Toughness and delicacy corresponding to hard fishing.**

## LIGHT JIGGING PE ACROBAT (4 PCS BRAIDED)

## LIGHT JIGGING PE ACROBAT (8 PCS BRAIDED)

By applying super high strength PE selected Dyneema to "8 pcs dense weaves" and "4 dense weaves" and putting surface sliding processing more, improve largely operability, sensitivity, strength and sliding. Correspondence enough for JIGGING fishing to demand delicacy when tough corresponding to very hard fishing. Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.

■100m:Size 0.6-2 ■150m:Size 0.6-3 ■200m:Size 0.6-3

| | Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 |
|---|---|---|---|---|---|---|---|---|---|
| | Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 |
| 4pcs braided | Strength Kg/LBS (MAX) | 4/8.8 | 4.4/9.6 | 5.9/12.9 | 6.7/14.7 | 7.5/16.5 | 11.3/24.8 | 14.5/32 | 17/37.4 |
| 8pcs braided | Strength Kg/LBS (MAX) | 4.5/9.9 | 5.5/12.1 | 7/15.4 | 8/17.6 | 9/19.8 | 13/28.6 | 16/35.2 | 19/41.8 |

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m without marking

**Super high strength 8 pcs braided**

## SUPER PE PREMIUM DEEP HUNTER HIBIKI

By putting super high strength PE (selected HI-TECH Dyneema) 8 pcs dense weaves, improve largely strength, sensitivity, durability and operability. Comparing with nylon line, the elongation is one-tenth and taking precise shelf and convey bottom perception hit at hand very quickly. The tensile pulling strength is 2.5-3 times higher than nylon fishing line and supports enough in by fight with a sudden big game. Getting rid of 1m/5m marking and coping with reducing line bite such as the globefish.

■100m×12connected ■200m individual package ■300m individual package

| Size | 2 | 3 | 4 | 5 | 6 | 8 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 15/33 | 21/47 | 28/62 | 35/77 | 39/86 | 50/110 |
| Diameter(mm) | 0.235 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 |

4pcs braided

PE

8pcs braided

PE

10m 10m 10m 10m 10m 5colors
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

4pcs braided
■100m:Size 0.8-5
■150m:Size 0.8-5
■200m:Size 0.8-6
■300m:Size 3-6

8pcs braided
■150m:Size 2-4
■200m:Size 2-6
■300m:Size 2-6

| Size | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS (MAX) | 5/11 | 6.9/15 | 7.8/17 | 8.7/19 | 12.8/28 | 15/33 | 18.2/40 | 22.8/50 | 27.3/60 | 31.9/70 |
| Diameter(mm) | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

■4pcs braided/color ○GREEN ◎BLUE △YELLOW
■8pcs braided/color ◬10m×5colors

| Size | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|
| Strength lb/class(MAX) | 11/(5) | 15/(6.8) | 17/(7.8) | 19/(8.7) | 28/(12.8) | 33/(15) | 40/(18.2) | 50/(22.8) | 60/(27.3) | 70/(31.8) |
| 100m | ○ | ○ | ○ | ○ | ○ | ○ | ○ | — | — | — |
| 150m | ○◎△ | ○◎△ | ○◎△ | ○◎△ | ○◎△ | ○◎△ | ○◎△ | ○◎△ | ○◎△ | — |
| 200m | ○ | ○ | ○ | ○ | ○◎ | ○◎ | ○◎ | ○◎ | ○◎ | ○◎ |
| 300m | — | — | — | — | — | — | ○◎ | ○◎ | ○◎ | ○◎ |

| Size | 2 | 2.5 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Strength lb/class(MAX) | 30/(13.7) | 35/(15.9) | 45/(20.5) | 55/(25) | 65/(29.6) | 75/(34.1) |
| 150m | ◬ | ◬ | ◬ | ◬ | — | — |
| 200m | ◬ | ◬ | ◬ | ◬ | ◬ | ◬ |
| 300m | ◬ | ◬ | ◬ | ◬ | ◬ | ◬ |

**High strength & operability improves largely!**

## RAIGLON PE EXITE GAME

By braiding high density super high strong carefully selected PE (new high purity Dyneema), "high strength", "sliding", "operability" improve largely. The high strength that improved 15-20% from a conventional PE line. By surface special process, "sliding performance" continues and frictional resistance with guide is largely reduced and non-maintenance & longer life PE.

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

### High quality, High performance PE

## RAIGLON PE SHORE JIGGING

Tightly braided 8 pcs of selected hi-tech Dyneema, Raiglon PE Shore Jigging provides approximately 20% improved tensile strength. Additional surface treatment improves sliding performance, manipulation performance, straightness, sensitiveness, water repellency & casting performance.
This high performance PE is affordable for jigging which is required toughness & sensitiveness and such a great overall performance enables to use one size smaller line than usual.

■8BRAIDED 150mSize0.8-4 200mSize0.8-6 300mSIze2-10

| Size | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.8/10.6 | 7/15.4 | 8/17.6 | 9/19.8 | 13/28.6 | 16/35.2 | 19/41.8 | 24/52.8 | 29/63.8 | 36/79.2 | 45/99 | 55/121 |
| Diameter(mm) | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |

PE



WHITE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

### The strongest lure casting line

## POWER DRIVE XP SALT WATER STAMINA P.E.

Improve largely the strength, sliding, operability by weaving carefully selected hi-tech dyneema with high density. For low elongation PE line, transmit the situation of the bottom and a small hit surely. For high strength, you can cope with an encounter with a sudden big game enough. This item is superior in visibility by the night fishing.

■130m(White):Size 0.6-3.0 ■150m(5colors):Size 0.6-6.0
■200m(5colors):Size 0.6-6.0 ■300m(5colors):Size 0.6-6.0

| Size | 0.6 | 0.8 | 1.0 | 1.2 | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 | 6.0 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4/8 | 4.9/10 | 5.9/12 | 7/14 | 7.9/16 | 12/25 | 14/30 | 17/35 | 23/50 | 28/60 | 33/70 |
| Diameter (mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 |

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

### Ultimate PE line

## RAIGLON PE FUNE

Tightly braided 8 pcs of selected hi-tech Dyneema, Raiglon PE Fune provides approximately 15%～20% improved tensile strength enabling to use one size smaller line than usual. Additional surface treatment improves sliding performance, manipulation performance, straightness, sensitiveness & water repellency and it prevents fatigue of material caused of the friction against the guide which enables its long life.

■8BRAIDED 100mx12connected 150mSize0.8-4 200mSize0.8-6 300mSIze3-10

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.5/9.9 | 4.8/10.6 | 7/15.4 | 8/17.6 | 9/19.8 | 13/28.6 | 16/35.2 | 19/41.8 | 24/52.8 | 29/63.8 | 36/79.2 | 45/99 | 55/121 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 |

PE

**Super high strength, super high sensitivity.**

## LAIGLON SUPER P.E. STAMINA

Realize high performance.
Super high strength.
Super high sensitivity.
Be superior to fatigue characteristics, resistant, shock resistant and support 50m, 100m and 150m.

| Size | 0.8 | 1 | 1.5 | 2 | 2.5 | 3 |
|---|---|---|---|---|---|---|
| Strength Kg | 4.4 | 5.9 | 7.5 | 11.3 | 13.4 | 16.7 |
| Diameter (mm) | 0.148 | 0.165 | 0.205 | 0.235 | 0.260 | 0.285 |
| Size | 4 | 5 | 6 | 8 | 10 | 12 |
| Strength Kg | 21.7 | 27.9 | 33.7 | 39.9 | 45.6 | 61.3 |
| Diameter (mm) | 0.330 | 0.370 | 0.405 | 0.470 | 0.520 | 0.570 |

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

4pcs braided

PE

8pcs braided

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

### Hyper basic performance PE

## RAIGLON PE TENYA/TAIRABA MADAI

Tightly braided 4 pcs (or 8 pcs) of selected hi-tech Dyneema, Raiglon PE TENYA/TAIRABA MADAI provides approximately 15%～20% improved tensile strength, better manipulation performance and consistency in maximum strength enabling to use one size smaller line than usual. In addition to it, by adding special surface treatment which improves water repellency and prevent fluffing of the surface, the friction resistance with guide is largely reduced for long life with no maintenance. As the result, it is easy to feel a bite of larger fish such as Red Snapper etc. sensitively. Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.

■4Braided 150m,200m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.3/9.5 | 5.5/12.1 | 7/15.4 | 8/17.6 | 9/19.8 | 13/28.6 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |

■8Braided 150m,200m

| Size | 0.6 | 0.8 | 1 | 1.2 | 1.5 | 2 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 4.5/9.9 | 6/13.2 | 7.5/16.5 | 8.8/19.3 | 10/22 | 13.5/29.7 |
| Diameter(mm) | 0.128 | 0.148 | 0.165 | 0.185 | 0.205 | 0.235 |

PE

10m 10m 10m 10m 10m
PURPLE RED GREEN ORANGE BLUE
10m×5colors 1m/5m marking

### Strongly recommended for offshore fishing, Super high strength

## RAIGLON PE KAIJYOU TURIBORI

Raiglon PE Kaijyo Tsuribori is designed for easy adjustment of precise shelf by a marking of every 1m. Tightly braided 4 pcs (or 8 pcs) of selected hi-tech Dyneema, Raiglon PE Kaijyo Tsuribori provides approximately 15%～20% improved tensile strength, manipulation performance and consistency in maximum strength enabling to use one size smaller line than usual. Additional special surface treatment improves sliding performance, manipulation performance, straightness, sensitiveness & water repellency and also, the friction against the guide is largely reduced for long life with no maintenance.

■50m

| Size | 2.5 | 3 | 4 | 5 | 6 | 8 |
|---|---|---|---|---|---|---|
| Strength Kg/LBS | 15/33 | 18.2/40 | 22.8/50 | 27.3/60 | 31.9/70 | 36.4/80 |
| Diameter(mm) | 0.260 | 0.285 | 0.330 | 0.370 | 0.405 | 0.470 |