

 **RAIGLON**<sup>®</sup>

# FISHINGLINE CATALOGUE




株式会社トアルソン

# Challenge!

## **RAIGLON** FISHING LINE

**Raiglon begins a challenge to the next era at high quality, a high performance fishing line. The limitless performance & possibility that the technical concentration produces.**

Raiglon Lines led a supreme proposition to the real thing by advanced technology. In fishing scene to change every moment, the line where we hid the best potential of Raiglon enables the select more and continues making the new legend in a new century.



# ハリス

The strongest Leader Line in the next generation when original processing technique produces it.



## Ultimate abrasion resistance and tenacity – 100% Fluorocarbon

### APACHE

Apache is made of 100% Fluorocarbon which offers ultimate abrasion resistance and no water absorption for long life while retaining its natural refractive qualities, making it virtually invisible under water.

1.78 specific gravity which is relatively higher than that of Nylon (1.14)/Polyester (1.38) provides greater sinking performance.

Thinner compact spool is easy to store.

■Size0.6-3 50m Size4 40m Size5 30m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	4	5
Strength Kg/LBS	1.66/3.66	1.93/4.25	2.53/5.58	2.89/6.37	3.48/7.67	3.97/8.75	4.44/9.79	5.05/11.13	6.35/14	7.88/17.37	9.66/21.3
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370



Fluorocarbon Leader Line



## Strongest invisible camouflage color Harisu

### PROSEED V7

Proseed is made of selected high quality Fluorocarbon and it has been increased tenacity up to 20%, flexibility, suppleness and strength in virtually invisible camouflage color, which offers outstanding performance in competition game.

■50m

Size	0.8	1	1.2	1.5	1.7	2	2.5	3	4	5
Diameter(mm)	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370



Fluorocarbon Leader Line

Parallel Spool




STEALTH BROWN



Fluorocarbon Leader Line

Parallel Spool



CLEAR PINK

Extreme strong soft leader line.  
The durability/abrasion resistance preeminence.

### MEGACEED TOUGH ONE

We make soft plasma processing on fluorocarbon 100% and evolve conventional exceed fluorocarbon more and increase the pulling strength and knot strength. Parallel spool finish.

■50m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	4	5	6
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370	0.405



Fluorocarbon Leader Line

Strongest New Fluorocarbon Leader Line

### MEGACEED FUNE HARISU

By making soft plasma processing on carefully selected fluorocarbon produced by highly precise yarn technology, improving control and enabling a trouble sharp decrease. Super Strength Leader Line that excels others in all.

■100m(CLEAR):Size 2-14 ■100m(SEAWEED BROWN):Size 2-20

Size	2	2.5	3	4	5	6	7	8	10	12	14	16	18	20
Diameter(mm)	0.235	0.260	0.285	0.330	0.370	0.405	0.435	0.470	0.520	0.570	0.620	0.660	0.700	0.740



CLEAR SEAWEED BROWN



Fluorocarbon Leader Line

Parallel Spool



The product which is flexible, low price and high quality.

### EXCEED FLUOROCARBON 002

This item is designed for more flexible by softening fluorocarbon with a firm image and it is a leader line made by parallel spool and realize low price and high quality.

■50m:Size 0.6-6

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	4	5
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370



Nylon Leader Line

Parallel Spool



Supremacy Strongest New Nylon Leader Line

### EXCEED NYLON 001

New thin & strong Nylon Leader Line that realized a supreme proposition to be strong at a high level for high sensitivity, root gap, the low expansion and contraction by making new development T.E.N processing on special nylon.

■50m

Size	0.3	0.4	0.5	0.6	0.8	1	1.2	1.35	1.5	1.75	2	2.5	3	3.5	4	5	6
Diameter(mm)	0.090	0.104	0.117	0.128	0.148	0.165	0.185	0.192	0.205	0.220	0.235	0.260	0.285	0.310	0.330	0.370	0.405



Super strength Leader Line that excels others in all.

**EXCEED SAMURAI FOR PROFESSIONAL TOURNAMENT USE**

By making new developed T.E.C. processing on abrasion resistance, high strength fluorocarbon, it creates the strong thin, low expansion and contraction, high friction resistance, root gap and curl prevention at a high level. It is improved pulling tension strength largely by using highly precise yarn technology and carefully selected fluorocarbon material. Super strength Leader line that excels others in all.

Specific Gravity 1.79, Refractive index 1.42, No water absorption. Soft tension spool.

■ 10m:Size 0.6-12 ■ 100m:Size 0.6-3

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	4	5	6	8	10	12
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370	0.405	0.470	0.520	0.570



High quality Shock Leader specially developed for easy tie up with line

**ACROBAT SHOCK LEADER**

Acrobat Shock Leader is specially developed and made of high tenacity abrasion resistant material added IWS process and Soft process (Patent No. 3142956). It is specially developed for easy tie up with line. Individual design for each size.

■ Nylon Size3-7 30m Size8-20 20m

Size	3	3.5	4	5	6	7	8	10	12	14	16	18	20
Strength Kg/LBS	6/12	7/14	8/16	10/20	12.5/25	15/30	17.5/35	20/40	25/50	30/60	35/70	40/80	45/90
Diameter(mm)	0.285	0.330	0.330	0.370	0.405	0.435	0.470	0.520	0.570	0.620	0.660	0.700	0.740

■ Fluorocarbon Size1.5-7 30m Size8-12 20m

Size	1.5	1.75	2	2.5	3	4	5	6	7	8	10	12
Strength Kg/LBS	3/6	3.5/7	4/8	5/10	6/12	8/16	10/20	12.5/25	14/28	15/30	17.5/35	20/40
Diameter(mm)	0.205	0.220	0.235	0.260	0.285	0.330	0.370	0.405	0.435	0.470	0.520	0.570



All round high quality line exclusively designed for Hera fishing

**RAIGLON HERA KYOKUTENSUI MICHIIITO**

Raiglon Hera Kyokutensui is made of high tenacity nylon and added newly developed hydrophilic special resin for greater sinking performance. Raiglon Hera Kyokutensui is specially designed for Hera fishing needed appropriate stiffness and suppleness fit in any size of rod. Selected visible color in reflection and wound in a bobbin softly for a maintenance of its high quality longer. Individual design for each size.



ROYAL VIOLET

All round high quality Harisu exclusively designed for Hera fishing

**RAIGLON HERA KYOKUTENSUI HARISU**

Raiglon Hera Kyokutensui is made of high tenacity Harisu nylon and added newly developed hydrophilic special resin for greater abrasion resistance and memory of straightness without tangle up. Virtually invisible smoke natural color improves Hera fishing and its suppleness is easy to tie up with line. Individual design for each size.



SMOKE NATURAL

ヘラ

High quality line exclusively designed for Hera fishing.

■MICHIIITO 50m

Size	0.4	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2	2.5	3	4
Diameter(mm)	0.104	0.117	0.128	0.138	0.148	0.165	0.187	0.205	0.220	0.235	0.260	0.285	0.330

■HARISU 50m

Size	0.2	0.3	0.35	0.4	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2
Diameter(mm)	0.074	0.090	0.097	0.104	0.117	0.128	0.138	0.148	0.165	0.187	0.205	0.220	0.235



# 道糸

Even in any kind of scene,  
it is a fishing line of  
RAIGLON.



## Power leads new stage

### POWER STAGE

Power Stage is made of Super Strong Nylon monofilament with original patented Soft process (Patent No. 3142956). Power Stage combines 4 greater performances such as "high tenacity", "less coil memory", "less curl", "less tackiness" in very high level.



FLUORESCENT FLASH YELLOW

#### ■ 150m

Size	1.5	1.75	2	2.5	3	4	5
Strength Kg/LBS	3.9/8.6	4.4/9.7	4.7/10.4	5.9/13	6.8/15	9/19.8	11.7/25.8
Diameter(mm)	0.205	0.220	0.235	0.260	0.285	0.330	0.370

#### ■ 200m

Size	3	4	5	6	7	8	10	12
Strength Kg/LBS	6.8/15	9/19.8	11.7/25.8	13/28.7	14.7/32.4	16.3/35.9	21.2/46.7	25.5/56.2
Diameter(mm)	0.285	0.330	0.370	0.405	0.435	0.470	0.520	0.570

## Surge ahead of rivals with Super strength line

### SUPER RAIGLON SOFT

SEMI FLOAT TYPE

Super Raiglon Soft is exclusively designed for salt water fishing, specially for rock fish game, floating fishing and casting. Super Raiglon Soft is treated with patented water repellent process which prevents coil memory, backlash and crumple.



Parallel Spool



FLUORESCENT PHANTOM ORANGE

SUSPEND TYPE



Parallel Spool



FLUORESCENT CRYSTAL

#### ■ 150m

Size	1.5	1.75	2	2.5	3	4	5
Diameter(mm)	0.205	0.220	0.235	0.260	0.285	0.330	0.370



Parallel Spool



GREEN

Fishing line to catch fish by highly precise yarn technology.

**SUPER RAIGLON SOFT POWER DREAM ISO**

Results of fishing line production over 50 years and by joint developed together with Asahi Kasei, we improve the most important point strength of line as tournament competition, abrasion resistance, water-repellency and the sliding performance largely.

■ 150m

Size	1.2	1.5	1.75	2	2.5	2.75	3	4	5	6
Diameter(mm)	0.185	0.205	0.220	0.235	0.260	0.274	0.285	0.330	0.370	0.405




Parallel Spool



GREEN



PINK



Surf conquest! Three colors of markers of the visibility preeminence and get a delicate hit.

**PROTEUS MARKER ISO HONRYU**

By super water-repellent, water-proofing, strong resin processing and soft processing (Patent No. 3142956), less coil memory and fly and line control is very smooth. The visibility is distinguished in our three colors of original markers which grasp and the revision of the line orbit are easy.

■ 150m:Size 1.8-6

Size	1.8	2	2.5	3	3.5	4	5	6
Diameter(mm)	0.220	0.235	0.260	0.285	0.310	0.330	0.370	0.405



Parallel Spool



GREEN



YELLOW

A Super Strength fishing line of the trust

**RAIGLON STAMINA**

A super strength fishing line with strength at the same level as Leader line. High Quality, Low Price.

■ 150m

Size	2	2.5	3	4	5	6
Diameter(mm)	0.235	0.260	0.285	0.330	0.370	0.405



Parallel Spool



BLUE

High Abrasion Resistance Performance

**SYBER ISO**

By comparison with normal fishing line, about 20 times (our company data) improved an abrasion resistant performance.

■ 150m

Size	1.5	1.75	2	2.5	3	3.5	4	5	6
Diameter(mm)	0.205	0.220	0.235	0.260	0.285	0.310	0.330	0.370	0.405






Nylon

Parallel Spool

RAIGLON SOFT LEO POWER DRAGON



RAIGLON SOFT LEO MOZART



Super Water-Repellent and Soft Processing.  
The Strong Fishing Line which has less twist.

RAIGLON SOFT LEO POWER DRAGON

RAIGLON SOFT LEO MOZART

By putting strong super water-repellent water proofing resin processing and our original soft processing (Patent No. 3142956), these lines become super high quality fishing lines which have four good points such as "less tackiness", "less coil memory", "soft" and "strong". Good line operation, natural operation of bait and precise hooking with a little running out of shock due to proper elongation adjustment. There is confidence with abrasion-resistance and strength.

■ 150m

Size	1.8	2	2.5	3	4	5	6
Diameter(mm)	0.220	0.235	0.260	0.285	0.330	0.370	0.405

Nylon

Parallel Spool

Size 2.0-6.0

Normal Spool

Size 8.0-10.0



WHITE YELLOW WHITE PINK WHITE

Three colors of marker  
high visibility lines.  
Good float performance.

LEOINA 66 MEGA FLOAT

Super water-repellent waterproofing resin processing. The float line which pursued the ease of usability (Patent No. 3142956) of "Softness", "handling of line operation is smooth by water repellent processing", "high visibility performance by the marker", "not float too much", "not sinking" by making an air chamber not sake in the float inclination to improve float performance. Due to hollow line, the tensile strength becomes 10-13% lower than that of strong line.

■ 150m:Size 2-6 ■ 200m:Size 3-10

Size	2	2.5	3	3.5	4	5	6	8	10
Diameter (mm)	0.235	0.260	0.285	0.310	0.330	0.370	0.405	0.470	0.520

チヌ

Chinu(Black Porgy)fishing master strongest version


Nylon

Parallel Spool



With the marking of 50m

Fluorocarbon  
Parallel Spool



WHITE BLACK WHITE PINK WHITE YELLOW WHITE

Improving the durability,suppleness and strength largely.

CHINU (BLACK PORGY) PIRANIA

By giving soft plasma processing and water-repellent processing (Patent No. 3142956) to high strength, high sensitivity, low elongation line, it is superior to operability and have "less twist", "less curl" and "less coil memory". There is confidence with abrasion resistance and strength.

- BROWN(100m/150m):Size 0.6-5
- PINK(100m/150m):Size 1.5-3
- 4colors(100m/150m):Size 1.75-3

CHINU (BLACK PORGY) PIRANIA RAFT LINE

We make soft plasma processing, water-repellent processing on fluorocarbon 100%, and be superior to operability by preventing tackiness and hooking is possible surely without missing the delicate hit. Improve the strength, suppleness, durability largely.

■ 100m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	4	5
Diameter (mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.370

Size	
Diameter (mm)	

**Nylon**




Strong for curl and twist and pulling strength is good.  
Line for exclusive use of a long cast & the basket fishing.

**ARES ENTOU ISO**

By using the original special resin processing, drumstick water processing and soft processing (Patent No. 3142956) to high strength line, it creates "less twist", "less curl", "less coil memory" and strong for a root gap. A line for exclusive use of the big game aim that is superior particularly in pulling strength.

■ 200m

Size	3	3.5	4	5	6	7	8	10	12	14
Diameter (mm)	0.285	0.310	0.330	0.370	0.405	0.435	0.470	0.520	0.570	0.620





# 投釣り

The excellent partner of cast fishing !

## 波止

Less twist, High visibility, Strong, Few guide-involved, Less coil memory

### Strong leader line

#### PROTEUS PANDORAS BOX HATO OKI ICHIMONJI

Improve "Less coil memory", "High visibility", "Strong", "Few guide-involved" etc., demanded from pier fishing. The durability, the abrasion resistance are improved by making soft water repellent resin processing (Patent No. 3142956) on Leader line type raw material. Suitable for floating fishing and fishing for tetrapod circumference etc.

■ 100m

Size	2	2.5	2.75	3	3.5	4	5
Diameter (mm)	0.235	0.260	0.274	0.285	0.310	0.330	0.370



Parallel Spool



FIRE ORANGE

■ 150m

Size	2	2.5	2.75	3	3.5	4	5
Diameter (mm)	0.235	0.260	0.274	0.285	0.310	0.330	0.370



Parallel Spool



FIRE ORANGE



# アジ/メバル

Exclusive line for mackerel and rockfish.

## Best line for Light Game

### Light Game AJI/MEBARU

Light Game Aji line is specially focused and engineered for light game such as for Mackerel & Rockfish and long cast to provide anglers with sliding performance, straightness, less line slack by patented water repellent process treated, which also offers high quality long life with maintenance free.

#### ■Nylon 150m

Size	0.2	0.25	0.3	0.4	0.5	0.6	0.8	1
Strength Kg/LBS	0.55/1.1	0.65/1.3	0.8/1.6	1/2	1.35/2.7	1.6/3.2	2.25/4.5	2.7/5.4
Diameter(mm)	0.074	0.083	0.090	0.104	0.117	0.128	0.148	0.165

#### ■Ester 150m

Size	0.2	0.25	0.3	0.35	0.4	0.5	0.6
Strength Kg/LBS	0.6/1.2	0.75/1.5	0.9/1.8	1/2	1.1/2.2	1.35/2.7	1.65/3.3
Diameter(mm)	0.079	0.088	0.094	0.102	0.109	0.121	0.135



Nylon



NATURAL



Ester



NATURAL



## LEOINA 66 / ROCKFISH / SHADE

Less coil memory! Super Water-Repellent Processing!  
Even a light weight lure do not miss a hit.  
Strength, suppleness, durability up!  
Add a difference to a rival by rockfish game.

### ■ NYLON 100m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3
LBS	2	3	4	5	6	7	8	10	12
Diameter (mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285

### ■ Fluorocarbon 100m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3
LBS	2	3	4	5	6	7	8	10	12
Diameter (mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285



Parallel Spool



FLUORESCENT NATURAL



Parallel Spool



NATURAL

## Improved strength, suppleness & durability

### Sparta Line ROCKFISH X

By adding patented soft & water repellent finish to high tenacity & low elongation sensitive material, Sparta Line ROCKFISH X offers secure hooking and catching performance without coil memory and crumple. Individual design for each size.

### ■ 100m

Size	0.5	0.6	0.8	1	1.2	1.5	1.75	2
LBS	2	2.5	3	4	5	6	7	8
Diameter (mm)	0.117	0.128	0.148	0.165	0.185	0.205	0.220	0.235



FLUORESCENT YELLOW



FLUORESCENT PINK



# ルアー

To enjoy game fishing 100%

Parallel Spool

Nylon

Fluorocarbon

Nylon

Fluorocarbon



NATURAL



FLUORESCENT CRYSTAL



FLUORESCENT CRYSTAL



NATURAL

Showing a characteristic of the highest grade quality to the maximum.

## RAIGLON POWER NY Nylon

## RAIGLON POWER FC Fluorocarbon

It is realization with the operability that it was able to be superior to bait fishing and spinning fishing from worm to hard lure as a first priority of "Strength" and "Sensitivity". A line color to secure moderate visibility.

"High sensitivity" and "the straightness" which small bait conveys. Because there is not water absorptivity, the use of long time with a little strength deterioration is possible. Excellent permeability does not give a fish wariness. The abrasion performance is particularly superior to nylon.

■ Power NY Nylon 0.4 & 0.5 are available.  
Power FC Fluorocarbon 0.4 & 0.5 are not available.

Size	0.4	0.5	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	3.5	4	5
Diameter (mm)	0.104	0.117	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.310	0.330	0.370
LBS	2	2.5	3	4	5	6	7	8	10	12	14	16	20	25

Monster appears

## MONSTER BASS (NYLON)

## MONSTER BASS (FLUOROCARBON)

High tenacity & low elongation of Monster Bass Nylon with patented water repellent process offers greater manipulation performance and abrasion resistance while preventing curl, crumple and coil memory.

High tenacity & low elongation of Monster Bass Fluorocarbon with patented soft process offers high sensitivity and greater abrasion resistance while preventing curl, crumple and coil memory.

Size	0.8	1	1.2	1.5	1.75	2	2.5	3	3.5	4
Strength Kg/LBS	1.5/3	2/4	2.5/5	3/6	3.5/7	4/8	5/10	6/12	7/14	8/16
Diameter(mm)	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.310	0.330



**Nylon Leader Line**

**Fluorocarbon Leader Line**

NATURAL

NATURAL



**Nylon**

**Parallel Spool**  
150m size 1.5-6 are parallel spool only.

BLUE

The highest grade shock leader which a line system is easy to make.

### SHOCK LEADER POWER ACCEL

The shock leader line which it was easy to make a line system and balanced toughness and softness by making a original IWS soft sliding processing (Patent No. 3142956) to high strength abrasion resistance line.

■ NYLON 50m:Size 3-60 ■ FLUOROCARBON 50m:Size 3, 4-12

Size	3	3.5	4	5	6	7	8	10	12	14
Strength Kg/LBS	6/12	7/14	8/16	10/20	11/22	12.5/25	15/30	17.5/35	20/40	25/50
Diameter (mm)	0.285	0.310	0.330	0.370	0.405	0.435	0.470	0.520	0.570	0.620
Size	16	18	20	22	24	30	35	40	50	60
Strength Kg/LBS	27.5/55	30/60	35/70	40/80	45/90	50/100	65/130	70/140	85/170	100/200
Diameter (mm)	0.660	0.700	0.740	0.780	0.810	0.910	0.980	1.050	1.170	1.280

In hard game fishing

### SALT WATER

The salt water game fishing which is severe & hard. By our original seawater-resistant special resin processing, the salt water game fishing line which investigated easiness of handling and durability is born.

■ 150m ※ I.G.F.A. CLASS

LBS	*6	*8	10	*12	14	*16	*20	25
Diameter (mm)	0.205	0.235	0.260	0.285	0.310	0.330	0.370	0.405
Size	1.5	2	2.5	3	3.5	4	5	6



# ボビン巻き

A technical crystal, a highest grade nylon monofilament bobbin.



## Premium line in a bobbin is born

### WORLD PREMIUM

Raiglon World Premium is developed by putting our technologies and technics accumulated during our long history in this quality as premium line. By adding the special high abrasion resistant coating and I.W.S. soft process to it, Raiglon World Premium provides and keeps greater abrasion resistance and straightness for long period of time. In order to keep high quality longer, Raiglon World Premium is wound with very low tension with bobbin in production process.

■ 600m

Size	0.6	0.8	1	1.2	1.5	1.75	2	2.5	3	3.5	4	5	6	7	8	10	12
Strength LBS	3.5	5	6	7	9	10	11	13	16	18	20	25	30	33	38	50	56
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.220	0.235	0.260	0.285	0.330	0.330	0.370	0.405	0.435	0.470	0.520	0.570



PASTEL GREEN



ORANGE



YELLOW

The high strength fishing line which adds a difference to a rival.

### NEPUTUNE PREMIUM

At beach, ship, raft, wave stopper etc., this item is suitable for anglers looking for operability and power for all fishing. A highest grade fishing line of rank ☆☆☆☆. (Attention) The raw material processed Leader type.

■ 500m

Size	2	2.5	3	3.5	4	5	6	7	8
Diameter (mm)	0.235	0.260	0.285	0.310	0.330	0.370	0.405	0.435	0.470




YELLOW

Hard to be affected by wind & wave.

### LAIGLON INTERNATIONAL FLOAT TYPE

Structure to have an air chamber in the line inside that is hard to be affected by "wind/the wave" without sink and without loosening too much without sake in the float inclination.



Air chamber

■ 600m

Size	2	2.5	3	3.5	4	5	6
Diameter (mm)	0.235	0.260	0.285	0.310	0.330	0.370	0.405





By WS resin processing and prevention

of absorbing water process,

- preventing backlash, coil memory, curl and crumple
- water-repellent effect preeminence
- Strong in a root gap
- Easy for casting

At beach, ship, raft etc., for all fishing.

**LAIGLON INTERNATIONAL**



Size	1.2	1.5	2	2.5	3	3.5	4	5	6	7	8	10	12
LBS	5	6	8	10	12	14	16	20	25	30	35	40	45
Diameter (mm)	0.185	0.205	0.235	0.260	0.285	0.310	0.330	0.370	0.405	0.435	0.470	0.520	0.570



Fit every sheen. Show power by Lure fishing.

**LAIGLON INTERNATIONAL SUSPEND TYPE**

Suspend line which gave special resin process by the compound new material. Adapt every genre to all fishing at sea and lure fishing.

■600m

Size	0.6	0.8	1	1.2	1.5	2	2.5	3	3.5	4	5	6
LBS	2	3	4	5	6	8	10	12	14	16	20	25
Diameter (mm)	0.128	0.148	0.165	0.185	0.205	0.235	0.260	0.285	0.310	0.330	0.370	0.405



BLUE



**BIO SOFT**

Size	m	Kg	Diameter (mm)
3	3,300	6.5	0.285
4	2,500	8.2	0.330
5	2,000	10	0.370
6	1,600	12	0.405
7	1,400	14	0.435
8	1,200	16	0.470
10	1,000	19	0.520
12	800	22	0.570
14	700	25	0.620
16	600	28	0.660
18	550	31	0.700
20	500	34	0.740
22	450	37	0.780
24	400	39	0.810
26	380	41	0.840
28	350	43	0.870
30	300	46	0.910

GRAY



# イカ釣り

**Cuttlefish Fishing**  
A lineup for exclusive use of the  
full cuttlefish corresponding  
to every situation.





The Strongest New Fluorocarbon Leader Line 100%.

**EXCEED EGI LEADER**

Exceed superior in balance. Power up pulling strength. Knot strength as Eging Leader use with fluorocarbon 100% leader line.

■ 35m

Size	1.2	1.5	1.75	2	2.5	3	4
Strength Kg/LBS	2.5/5	3.0/6	3.5/7	4.0/8	5.0/10	6.0/12	8.0/16
Diameter(mm)	0.185	0.205	0.220	0.235	0.260	0.285	0.330



The nylon line where is almost suitable for a type of fishing, YAEN fishing and Eging fishing.

**KAITOU RUPAN CUTTLEFISH KING**

By applying our original I.W.S. processing and soft processing (PATENT No. 3142956) to high sensitive, low elongation, high strength nylon line, it has "less curl" and "less coil memory" and keeps suppleness and high strength in high-dimension. The color which is hard to see for the cuttlefish and high visibility colors are available.

■ 150m

Size	1.5	2.0	2.5	3.0	3.5	4.0	5.0
Strength Kg/LBS	3.8/8.4	4.6/10.6	5.9/13.6	6.8/15.0	7.9/17.4	8.9/19.6	11.2/24.7
Diameter(mm)	0.205	0.235	0.260	0.285	0.310	0.330	0.370



P E

**It is confidence in durability.**

**4PCS BRAIDED**

**8PCS BRAIDED**



5colors




5colors

**High grade PE for Lure & Boat fishing**



Raiglon H-PE KITERA is designed for anglers seeking all round PE lines suitable for SEA BASS, BIGFIN REEF SQUID, YELLOWTAIL, CUTLASS FISH, AMBERJACK, TUNA, RED SEA BREAM etc.

By applying super high strength H-PE (Dyneema, super high molecular weight polyethylene, made in Japan) 8-braided and 4-braided with adding surface treatment, Raiglon H-PE KITERA provides improved durability, manipulation performance & sliding performance. Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.



**4Braided 150mSize0.6-3, 200mSize0.6-4,300mSize0.6-4**

Size	0.6	0.8	1	1.2	1.5	2	2.5	3	4
Strength Kg/LBS	4.5/9	5/10	6.5/13	7.5/15	8.5/17	12.5/25	16/32	19/38	25/50
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.235	0.260	0.285	0.330

**8Braided 150mSize0.6-3, 200mSize0.6-5,300mSlze0.6-5**

Size	0.6	0.8	1	1.2	1.5	2	2.5	3	4	5	6
Strength Kg/LBS	5/10	6/12	7.5/15	8.5/17	10/20	14/28	17.5/35	22.5/45	30/60	35/70	<b>37/74</b>
Diameter(mm)	0.128	0.148	0.165	0.185	0.205	0.235	0.260	0.285	0.330	0.370	<b>0.405</b>



Super high strong hi-tech material PE.

The pulling strength of the hi-tech new material PE is about 3 times higher than the nylon.

**SUPER P.E. STAMINA DIRECT BAZOOKA**

The Raiglon PE of the super strength hi-tech new material PE (super high molecular weight polyethylene) use has pulling high strength of about 2.5-3 times higher than the nylon and is easy to take an area in low elongation. There is no water absorption and there is little deterioration even if using it repeatedly and is most suitable as a fishing line.



■100m ■150m ■200m ■300m

Size	0.8	1	1.5	2	2.5	3	4	5	6	8	10	12
Strength Kg/LBS	4.9/10	5.9/12	7.9/16	12/25	14.5/30	17/35	23/50	28/60	33/70	40/80	48/100	63/130
Diameter (mm)	0.148	0.165	0.205	0.235	0.260	0.285	0.330	0.370	0.405	0.470	0.520	0.570

※color:Black color is size 3-12(total 7items)

※Size 0.8-4 are 4pcs braided

Above Size 5 is 8pcs braided



Toughness and delicacy corresponding to hard fishing.


**LIGHT JIGGING PE ANDROID (4 PCS BRAIDED)**

**LIGHT JIGGING PE ANDROID (8 PCS BRAIDED)**

By applying super high strength PE selected Dyneema to "8 pcs dense weaves" and "4 dense weaves" and putting surface sliding processing more, improve largely operability, sensitivity, strength and slitting. Correspondence enough for JIGGING fishing to demand delicacy when tough corresponding to very hard fishing. Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.

■150m ■200m

Size	0.6	0.8	1	1.2	1.5	2	2.5	3
Diameter (mm)	0.128	0.148	0.165	0.185	0.205	0.235	0.260	0.285
4pcs braided Strength (Kg/LBS (MAX))	4.5/9	5/10	6.5/13	7.5/15	8.5/17	12.5/25	16/32	19/38
8pcs braided Strength (Kg/LBS (MAX))	5/10	6/12	7.5/15	8.5/17	10/20	14/28	17.5/35	22.5/45



Super high strength 8 pcs braided


**SUPER PE PREMIUM DEEP HUNTER HIBIKI**

By putting super high strength PE (selected HI-TECH Dyneema) 8 pcs dense weaves, improve largely strength, sensitivity, durability and operability. Comparing with nylon line, the elongation is one-tenth and taking precise shelf and convey bottom perception hit at hand very quickly. The tensile pulling strength is 2.5-3 times higher than nylon fishing line and supports enough in by fight with a sudden big game. Getting rid of 1m/5m marking and coping with reducing line bite such as the globefish.

■100m×12connected ■200m individual package ■300m individual package

Size	2	3	4	5	6	8
Strength Kg/LBS	15/33	21/47	28/62	35/77	39/86	50/110
Diameter(mm)	0.235	0.285	0.330	0.370	0.405	0.470

8pcs braided



High strength & operability improves largely!

**RAIGLON PE EXITE GAME**

By braiding high density super high strong carefully selected PE (new high purity Dyneema), "high strength", "sliding", "operability" improve largely. The high strength that improved 15-20% from a conventional PE line. By surface special process, "sliding performance" continues and frictional resistance with guide is largely reduced and non-maintenance & longer life PE.

8pcs braided

- 150m:Size 2-4
- 200m:Size 2-6
- 300m:Size 2-6

Size	2	2.5	3	4	5	6
Strength (Kg/LBS (MAX))	12.8/28	15/33	18.2/40	22.8/50	27.3/60	31.9/70
Diameter(mm)	0.235	0.260	0.285	0.330	0.370	0.405





Toughness and delicacy corresponding to hard fishing.


**JIGGING PE ACROBAT X4 (4 PCS BRAIDED)**

By applying super high strength PE selected Dyneema to "8 pcs dense weaves" and "4 dense weaves" and putting surface sliding processing more, improve largely operability, sensitivity, strength and sliding. Correspondence enough for JIGGING fishing to demand delicacy when tough corresponding to very hard fishing. Distribution to dye every 10m and precise shelf collecting with a marking of 1m/5m is possible.

■4Braided 200m,300m


Size	2	2.5	3	4	5	6
Strength Kg/LBS (MAX)	15/30	17.5/35	20/40	25/50	—	—
200m	○	○	○	○	—	—
300m	○	○	○	○	—	—

**JIGGING PE ACROBAT X8 (8 PCS BRAIDED)**



■8Braided 200m,300m

Size	2	2.5	3	4	5	6
Strength Kg/LBS (MAX)	17.5/35	20/40	25/50	30/60	35/70	40/80
200m	○	○	○	○	○	○
300m	○	○	○	○	○	○



Strongly recommended for offshore fishing, Super high strength

**RAIGLON PE KAIJYOU TURIBORI**

Raiglon PE Kaiyou Tsuribori is designed for easy adjustment of precise shelf by a marking of every 1m. Tightly braided 4 pcs (or 8 pcs) of selected hi-tech Dyneema, Raiglon PE Kaiyou Tsuribori provides approximately 15%~20% improved tensile strength, manipulation performance and consistency in maximum strength enabling to use one size smaller line than usual. Additional special surface treatment improves sliding performance, manipulation performance, straightness, sensitiveness & water repellency and also, the friction against the guide is largely reduced for long life with no maintenance.

■50m

Size	2.5	3	4	5	6	8
Strength Kg/LBS	15/33	18.2/40	22.8/50	27.3/60	31.9/70	36.4/80
Diameter(mm)	0.260	0.285	0.330	0.370	0.405	0.470

# 手釣り

Raiglon hand fishing line superior in the flexibility and in the durability

## GOLD TOA

The choice of a fishing line for hand fishing line.

Full of flexibility and operability is good and does not take twist. A hand fishing line that is superior in the durability and strong in friction by surface processing.



**Coil Black 100m** Material: Polyester x Nylon

Size	8	10	12	14	15	18	20	24	27
Strength(kg)	10	11	14		16	19	22	27	32
Diameter (mm)	0.470	0.520	0.570	0.620	0.640	0.700	0.740	0.810	0.860
Size	30	35	40	50					
Strength(kg)	36	39	42	56					
Diameter (mm)	0.910	0.980	1.050	1.170					



**Braided Polyester Coil Brown 100m**  
Material: Polyester

Size	8	10	12	14	16	18	20	25	30
Diameter (mm)	0.470	0.520	0.570	0.620	0.660	0.700	0.740	0.830	0.910



**Wooden Frame Coil 4 colors 100m (25m x 4 colors)**

Material: Polyester x Nylon

Size	8	10	12	14	15	18	20	24	27
Diameter (mm)	0.470	0.520	0.570	0.620	0.640	0.700	0.740	0.810	0.860



**Braided Polyester Coil 5 colors 100m (10m x 5 colors x 2)**

Material: Polyester

Size	8	10	12	14	16	18
Diameter (mm)	0.470	0.520	0.570	0.620	0.660	0.700



**Wooden Frame Coil 5 colors 100m (10m x 5 colors x 2) (1m/5m/10m marking)**

Material: Polyester x Nylon

Size	8	10	12	14	16	18	20	25
Diameter (mm)	0.470	0.520	0.570	0.620	0.660	0.700	0.740	0.830

## TOALSON CO., LTD. 株式会社トアルソン

本 社 〒 651-0078 神戸市中央区八雲通 3 丁目 1 番 24 号  
TEL : 078-232-1991 (代表) FAX : 078-251-7632  
大分工場 〒 873-0031 大分県杵築市狩宿 81-2  
TEL : 0978-63-9111 FAX : 0978-63-9114



- 釣糸を切断する場合はハサミなどを使用して下さい。手や歯で切断するとけがををする恐れがあります。
- 使用済みの釣糸は釣り場へ捨てずに持ち帰って処分して下さい。

※写真の色は印刷の関係上、実際の商品と多少異なる場合がございます。

※品質向上の為、仕様及び価格を変更する場合があります。